



PSU91/CH/2U/3U
POWER SUPPLY 24 VOLT AC 8 Amp 200VA

A high specification compact wall mounted AC power supply, this is suitable for a wide range of applications in the fire and security industry, also available in chassis format or a rack unit. This power supply has a single winding with 6 fused outputs and on-board AC LED indication

DIMENSIONS

PSU91 Supplied in white steel lift off lid enclosure (LV1), 200 X 105 X 90mm weight 3.5Kg.

PSU91/CH Chassis Only 180 x 135 bright aluminium plate weight 2.3Kg.

PSU91/2U/3U 19" Rack version also available weight 6 & 6.3Kg.

CONSTRUCTION

A rugged steel vented enclosure with a lift off lid and a number of 20mm conduit knockouts providing easy access into the enclosure, finished in powder coated white to match other office and industrial control systems.

The power supply is mounted easily to any flat surface utilising an external fixing flange that has two keyhole slots on each side for ease of fitting and removal if required.

The front of the enclosure can also be screen printed with your company logo in one colour upon request for a small additional cost.

TECHNICAL SPECIFICATION

Mains Input Voltage	230/240 volts 50/60 Hz
Mains Input Fuse	2.5amp S/D Slow destroy fuse
Mains Current Consumption	1.33 amp{10 x > @ 1ms inrush}
Output Voltage	27.2 Volt AC
Output Fuse	6 x 1 amp ceramic fuse's
Continuous Operating Current	7Amp
Maximum Operating Current	8Amp Peak
Mains Power Indication	YES
Heat dissipation in watts for air con calculations.	100.8 W.

TRANSFORMER SPECIFICATION

Our Electrical Transformers are a high quality robust product, manufactured for us to the following standards. **EN 60/742 TEC, BS3535 & UL1411.**

VA Rating	200
Input Voltage	230Vac
Output Voltage	24Vac
Output Current	8A
Regulation Typ.	7%
Height x Diameter	50 x 112mm
Dimensions L x W x H	N/A
Fixing Bolt Size	M6x60mm
Temperature Rise	60°C
Weight	2.0kg

OPTIONS AVAILABLE


(Part no PSU/F??)

Fuse distribution cards of any number can also be specified upon request these will be mounted inside the steel enclosure on pillars. From 2 to 16 fuse outputs this option is dependant on enclosure size.

(Part no TAMP)

Tamper switch this option is only available on boxed PSU's, this comes complete with wires (Black= common, Purple= normally closed, White= normally open)

19" rack mounted version also available.



Warranty

All of our power supplies are manufactured with build quality and longevity in mind, we are constantly striving to improve upon an already reliable quality product with a very low failure rate, and because of our confidence in our end product's all our power supplies come with a two year return to base warranty against equipment failure.